

# TITAAN 2-90 VACUUM PACKAGING MACHINE



VACUUM PACKAGING MACHINE — TITAAN 2-90 — SPEC SHEET



## FEATURES:

- Standard with 2 seal bars (left-right): 2 x 840 mm
- Standard double seal (two wires). Optional without extra costs: Cut off or Wide seal (10 mm)
- Silicone holders easily removable for cleaning and maintenance purposes
- Pump capacity: 300 m<sup>3</sup>/h Busch pump
- Pump maintenance and cleaning program
- Machine cycle: 30-50 sec
- Soft Air to protect the product and vacuum bag
- Standard Digital ACS control with sensor
- Flat work plate
- Comes with 2 internal conveyor belts
- Stainless steel exterior
- IP-65 classification
- Compressed Air consumption: 100 NL/min 6 bar

## OPTIONS:

- 1-2 Cut off seal
- Liquid control
- Preparation for external pump
- Heating element for vacuum valve
- Extra seal capacity

## ACCESSORIES:

- Zebra ZD410 thermal label printer (only in combination with ACS)
- Transport conveyor 600 x 3000 mm
- Service kit for standard maintenance

## DESCRIPTION:

The robust, stainless steel full automatic Titaan 2-90 vacuum packaging machine is standard equipped with a Busch vacuum pump. This automatic machine complies with CE standards.



## SEAL BAR CONFIGURATION:



## Sales and Service Support

**Phone:**  
(07) 3806 5972

**Email:**  
sales@vacpac.com.au  
service@vacpac.com.au


## Visit our Showroom

Unit 3, 14-16 Cairns Street,  
Loganholme QLD, Australia 4129

# TITAAN 2-90 VACUUM PACKAGING MACHINE



## DIMENSIONS (IN MM)



VACUUM PACKAGING MACHINE — TITAAN 2-90 — SPEC SHEET

Model	Dimensions (mm)		Voltage* (Hz)	Pump capacity (m <sup>3</sup> /h)	Power (kW)	Weight (kg)
	Chamber (usable space) L x W x H	Machine L x W x H				
Titaan 2-90	840 x 890 x 220	1061 x 2420 x 1150	400V-3-50	300	5,5	850

\* Other voltages available



### Sales and Service Support

**Phone:**  
(07) 3806 5972

**Email:**  
sales@vacpac.com.au  
service@vacpac.com.au

### Visit our Showroom

Unit 3, 14-16 Cairns Street,  
Loganholme QLD, Australia  
4129

VACPAC.COM.AU